

you can
Canon

i-SENSYS
LBP3010

Laser Mono Printer

Compact, affordable and stylish
personal laser printer

i-SENSYS LBP3010

Save time, money and space with this compact, affordable and energy-efficient desktop laser printer. Perfect for your personal use, it delivers professional output - with quiet, maintenance-free operation and exceptional ease of use.



14ppm
monochrome
printing

150-sheet
paper tray

Virtually zero
warm-up time

2400 x 600dpi
print resolution



WHAT'S IN THE BOX

Main unit, cartridge 712 starter, power cable, driver on CD, manual on CD, starter guide on CD, warranty card.

KEY FEATURES

- 14 ppm mono laser printing
- Compact, stylish desktop design
- No waiting with Quick First-Print technologies
- First Print-Out Time of 8.5 seconds or less
- Print quality: up to 2400 x 600 dpi with Automatic Image Refinement
- Convenient front power switch and retractable paper tray cover
- 150-sheet paper tray
- Energy efficient: only 2 watts in sleep mode, quiet operation
- Maintenance-free All-in-One cartridge for continuous high quality output

DIMENSIONS (W x D x H)

372 x 250 x 197 mm

SUPPORTED OS

Windows 2000/ Server 2003/ XP/ Vista

Mac OS X version 10.3.9-10.5.x (Web distribution only, English driver only)

Linux (Web distribution only, English driver only)



PRINT



COPY



FAX



SCAN



- 1** 150-sheet multi-purpose tray
- 2** Cartridge 712 - Black

Specifications

PRINTER ENGINE Print speed Printing method Print quality Print resolution Warm-up time First Page Out Time Duty cycle Print margins	14 ppm mono (A4) ¹ Monochrome laser beam printing Up to 2400 x 600 dpi with Automatic Image Refinement Up to 600 x 600 dpi 0 seconds from Standby Approx. 10 seconds or less from power on Approx. 8.5 seconds or less Max 5,000 pages per month 5 mm-top, bottom, left and right	Noise level Dimensions (W x D x H) Weight Operating environment Control panel	Sound power ² : Active: 6.46 B or less Standby: Inaudible Sound pressure ² : Active: 50 dB(A) or less Standby: Inaudible 372 mm x 250 mm x 197 mm Approx. 5.94 kg Temperature: 7.5 to 32.5°C (45.5 to 90.5°F) Humidity: 10 to 80% RH (no condensation) 2 LED indicators, 1 operation key
MEDIA HANDLING Paper input (Standard) Paper output Media types Media sizes Media weights	150-sheet multi-purpose tray 1-sheet manual feed slot 100-sheet face down Plain paper, Heavy paper, Transparency, Label, Index card, Envelope Multi-purpose tray: A4, B5, A5, Legal, Letter, Executive, 16K, Envelope DL, Envelope COM10, Envelope C5, Envelope Monarch, Custom sizes: 76.2 to 215.9 mm wide and 127.0 to 355.6 mm long Manual feed slot: A4, B5, A5, Legal, Letter, Executive, 16K, Envelope DL, Envelope COM10, Envelope C5, Envelope Monarch, Custom sizes: 76.2 to 215.9 mm wide and 127.0 to 355.6 mm long, Index card: 76.2 to 127.0mm Multi-purpose tray: 64 to 163 g/m ² Manual feed slot: 64 to 163 g/m ²	CONTROLLER Memory Printer languages Interface and connectivity Operating systems compatibility	2 MB Canon Advanced Printing Technology (CAPT) USB 2.0 Hi-Speed Windows 2000/ Server 2003/ XP/ Vista Mac OS X Version 10.3.9-10.5.x ^{3,4} Linux ^{3,4}
GENERAL FEATURES Power requirements Power consumption	AC 220-240V (±10%), 50/60Hz (±2Hz) Maximum: Approx. 880 W or less Active: Average approx. 280 W or less Standby: Average approx. 2 W or less Typical Electricity Consumption (TEC): 0.536 kWh/week	CONSUMABLES All-in-One cartridges	Standard: Cartridge 712 (1,500 pages ⁵) ⁶
		ACCESSORIES/ OPTIONS Items	Network connectivity using AXIS 1650 Print Server
All specifications subject to change without notice			
¹ The print speed may drop depending on the printer driver settings, paper size, paper type and number of pages printed ² Declared noise emission in accordance with ISO 9296 ³ Web distribution only ⁴ English driver only ⁵ Based on ISO/IEC 19752 standard ⁶ Printer ships with 700 pages starter cartridge			



you can
Canon

Canon Inc.
www.canon.com

Canon Europa N.V.
www.canon-europe.com

English Edition
© Canon Europa N.V., 2008

you can
Canon

i-SENSYS
LBP3010

Compact, affordable and stylish
personal laser printer

Laser Mono Printer

i-SENSYS LBP3010

The i-SENSYS LBP3010 is part of the
Canon Laser Mono Printer Range.

The whole range consists of:

LBP3010, LBP3100, LBP3250, LBP3300,
LBP3310, LBP3360, LBP3370, LBP3460



- 1** 150-sheet multi-purpose tray
- 2** Cartridge 712 - Black

Sales Start Date: **September 2008**

MERCURY CODES

PRODUCT

Name	Mercury Code	EAN Code
LBP3010	2611B014AA	8714574521756

OPTIONS

Accessories	Mercury Code	EAN Code
Axis 1650 Network Print Server EU	0498V689	8714574945866
Axis 1650 Network Print Server UK	0498V690	8714574945873

CONSUMABLES

Toner	Mercury Code	EAN Code
Cartridge 712 All-in-One (1500 pages*)	1870B002AA	4960999417646

EASY SERVICE PLAN

Details	Mercury Code	EAN Code
3 year return to base service S1	093ZZ320AA	8714574979700
Installation Service N1	093ZZ324AA	8714574979748

* Based on ISO/IEC 19752

BOX DIMENSIONS (W x D x H)

342 x 450 x 360 mm

BOX WEIGHT (GROSS)

8,5 kg

PACKAGING STYLE QUANTITY OF ITEM

PACKAGING STYLE	QUANTITY OF ITEM
Pallet	24
Container (40ft)	1248

