



FAX-2440C

- Colour Fax
- Colour Copier
- Integrated Answering Machine
- Integrated Telephone Handset



Always at your side

The Brother FAX-2440C

All the versatility of flatbed fax and copy functions with the convenience of an integrated answering machine.



Compact, stylish and easy to use
Peace of mind in the office or at home



Up to 10 sheet ADF
Fax and copy multi-page documents quickly and easily



Convenient flatbed design
Enables bound documents to be faxed and copied as easily as single sheets



FAX-2440C

- Up to 100 sheet paper capacity
- Up to 10 page automatic document feeder
- 80 speed dials
- 6 One-Touch dials
- Up to 250 page transmit/receive memory capacity

This competitively priced machine is compact, stylish and simple to use.

Office or home – communication has never been easier

The FAX-2440C makes life easier, whether you are working in a small office or at home. The control panel is well laid out, with illuminated function keys that enable you to switch easily between copy and fax modes. The stylish, well thought out design, incorporating integrated handset, duplex speakerphone and answering machine, will free up much needed space in your work area.

Colour faxing

The FAX-2440C offers both a flatbed and an automatic document feeder so that bound documents are just as easy to fax as single sheets. Convenient one-touch and speed dials feature on this machine and a sizeable memory ensures vital information will not be lost. Dual access allows a fax to be saved to memory for transmission even when receiving a fax or copying a document.

Flexible colour copying

The adjustable hinge on the flatbed makes copying bound documents as simple as single sheets. The FAX-2440C also comes with a range of additional features, including 2 in 1 and 4 in 1 mono copying, which allow you to manipulate documents to your exact requirements. The useful 'Stack' and 'Sort' facility also makes collating documents much easier.



Telephone and message manager

The integrated handset saves desk space and comes complete with a hands-free feature. The provision of an answering machine also means you will never miss another important call.

- Hands free dialling
- Stores up to 99 messages

Software to increase performance

At Brother we are always looking to increase the performance of our products. To extend the capabilities of your Brother fax machine you can download the Brother PC-FAX software and Printer Drivers. This enables you to send mono PC faxes and print documents straight from your computer.

For further information on compatibility see the Systems Requirements table on the reverse of this leaflet.

Downloads available from:
<http://solutions.brother.com>

Individual ink cartridges

Eliminating the frustration of having to throw away unused inks, Brother's colour inkjet machines provide separate ink cartridges for each colour. Now all you have to do is replace the empty colour cartridge reducing wastage and the cost per copy.

Capillary ink system

Brother's capillary tube delivery system provides ink from the FAX-2440C's four separate cartridges direct to the print head. The result is a smoother operation and ink cartridges that are quicker and easier to replace.



Technical Specification

General

Engine		Inkjet
Handset		This model is fitted with an integral handset as standard
LCD Display		1 line x 16 characters
Back-lit Function keys		For easy selection of Fax or Copy functions
Back-up for clock		Keeps time and date backed up for 1 hour
Memory Capacity		8MB standard
Automatic Document Feeder		Up to 10 sheets
Paper handling size		A4
Paper Capacity	Standard paper tray	Up to 100 sheets
	Output paper capacity	Up to 25 sheets
Simultaneous Operation		Receive a fax whilst copying a document

Colour Fax

Modem		14.4kbps Approx 6 seconds transmission
Data Compression		Mono: MH / MR / MMR Colour: JPEG
Automatic redial		Automatic redial if the recipient fax is busy
One-touch dials		6 locations for one-touch auto dialling of pre stored numbers
Speed dials		80 locations for pre-stored numbers
Group dials		Up to 6 groups
Fax / Tel switch		Automatic recognition of fax and telephone reception
Distinctive ring detection		Yes
Super fine		Enables quality transmission and reception of very small print or line drawings
Grey scale		64 levels of monochrome, 256 levels of colour
Delayed timer		Yes - up to 50 (Mono only)
Transmit/Receive Memory		Up to 250 pages (ITU-T Test Chart No 1)
Broadcasting locations		Send the same fax message to up to 136 locations
Batch transmission		Stores documents for the same location in the machines memory for transmission in a single call (Mono only)
Auto reduction		Automatically reduces a received fax to fit on to a single sheet of A4
Error correction mode		Where machines share the ECM feature, errors during transmission are corrected automatically ensuring received documents are error free
Fax forwarding		Sends a fax received in memory to another pre-programmed fax number (Mono only)
Remote access		Allows the user to remotely access their machine by using another touch tone phone
Fax retrieval		Allows the user to retrieve fax messages using another touch tone machine (Mono only)
Dual Access		Scan a fax for transmission whilst receiving a fax
PC Fax	Optional download solutions.brother.com	PC fax (Mono send only)

Interface(s)

External TAD Interface		Interface for connecting external telephone answering device
USB		USB 2.0 Full Speed connection as standard

Message Manager

Message Manager		Electronic messaging facility for faxes and voice mail
Out Going Message		Up to 20 seconds
Incoming Message		Up to 99 messages depending on length of message. User can set at 30, 60, 120 or 180 seconds

Colour Copier

Speed		Up to 17cpm mono and up to 11cpm colour
Enlargement / reduction ratio		25% - 400% in 1% increments
Resolution		Max. Print resolution of up to 600 x 1200dpi Max. Scan resolution of up to 600 x 1200dpi
Multi copy		Produces up to 99 copies of each original
Stack & Sort		Stacks or sorts output copies as desired
N in 1	Mono only	Compress 2 or 4 pages onto a single sheet of A4
Paper handling size		A4 / A5 / Postcard (10cm x 15cm) / LTR / LGL
Paper handling type		Plain / Inkjet / Glossy / Transparency

Weights and Dimensions

Dimensions / Weight	With Carton	552(w) x 225(d) x 450(h) mm / 8.2kg
	Without Carton	438(w) x 347(d) x 166(h) mm / 6.1kg

Supplies - Individual Ink Cartridges

Supplied with standard yield cartridges. Pages in normal mode @ 5% coverage	Black	LC900BK - 500 pages
	Cyan	LC900C - 400 pages
	Magenta	LC900M - 400 pages
	Yellow	LC900Y - 400 pages
	Black High Yield	LC900HYBK - 900 pages

Other Information

Power Consumption	Power save	Less than 4W
	Standby	Less than 8.5W
	Peak	Less than 22W
Machine Noise	Best copy mode	Approx. 48dB

Colour Printer

Speed		Up to 20ppm mono & 15ppm colour
Resolution		Max 1200 x 6000dpi
Warm-up time		Zero warm-up time
Paper Handling Size		A4 / A5 / A6 / EXE / LTR / LGL / JISB5 / Photo 102 x 152mm, 89 x 127mm, 127 x 178mm / Postcard 100 x 148mm, 148 x 200mm / Index Card 127 x 203mm / C5 Envelopes / COM 10 / DL / Monarch / JE4 Envelopes
Media Type		Plain / Inkjet / Glossy / Transparency
Borderless printing		Borderless printing is available for A4 / LTR / A6 / Photo card / Index Card / Post card
Variable drop size		3 sizes for variable dot print with minimum droplet size of 3 pl
Colour Enhancement		Brother Image enhancement allows you to customize colour output
Printer Driver		Compatible with Windows® 98(SE) / Me / 2000 / XP, Mac® OS 8.6-9.2, OS X 10.2.4 or greater (includes auto installer program)

Computing System	MINIMUM SYSTEM REQUIREMENTS*					AVAILABLE HARD DISK SPACE
	OPERATING SYSTEM VERSION	PC INTERFACE	PROCESSOR SPEED	MINIMUM RAM	RECOMMENDED RAM	For Drivers
Windows®	98 (SE)	USB	Pentium® II or equivalent	32 MB	64 MB	60 MB
	Me	USB	Pentium® II or equivalent	32 MB	64 MB	60 MB
	2000 Professional	USB	Pentium® II or equivalent	64 MB	128 MB	60 MB
	XP	USB	Pentium® II or equivalent	128 MB	256 MB	135 MB
Macintosh®	OS 8.6	USB	All base models meet minimum requirements	64 MB	64 MB	80 MB
	OS 9.x	USB	All base models meet minimum requirements	64 MB	64 MB	80 MB
	OS X 10.2.4 or greater	USB	All base models meet minimum requirements	128 MB	160 MB	80 MB

*For optional software download

Fax-2440C	Brother PC-FAX Send*	Printer Driver	Status Monitor
Microsoft Windows®			
98(SE)/Me	✓	✓	✓
2000 Professional	✓	✓	✓
XP	✓	✓	✓
Macintosh®			
OS 8.6	✓	✓	
OS 9.x	✓	✓	
OS X 10.2.4 or greater	✓	✓	

*Mono only

Contact:



Brother UK Ltd
 Audenshaw, Manchester M34 5JD
 Tel: 0870 830 4000 (National Rate Call) Fax: 0870 830 4031
 Web-site: www.brother.co.uk

Your calls to us may be monitored or recorded for training purposes.
 Specification correct at time of going to print. Brother is a registered trademark of Brother Industries Ltd.
 Brand product names are registered trademarks or trademarks of their respective companies.